



Material Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Trade Names	Mxicoco Nail color (No HEMA) gel polish
Product use	Nail art
Supplier	Yiwu Mixcoco Cosmetics Co., Ltd.
Supplier's Address	90 XiangYiroad,Yiting town,Yiwu City,Zhengjiang Province,China
Email	admin@mixcoco.com
Telephone	0086-579-85128901

2. COMPONENTS & INGREDIENTS INFORMATION

Description: Mixture of substances listed below with additions.

Components names	CAS No.	Weight Percent (%)
ACRYLATES COPOLYMER	25035-69-2	40-50
POLYACRYLIC ACID	9003-01-4	20-30
ACRYLATES/CARBAMATE COPOLYMER	25133-97-5	30-40
DIMETHICONE	9016-00-6	0-1
SILICA DIMETHYL SILYLATE	68611-44-9	1-3
CI 17200	3567-66-6	0~1
CI 15850	5858-81-1	0~1
CI 77492	51274-00-1	0~1
CI 77891	13463-67-7	0~1
CI77499	12227-89-3	0~1
CI74160	147-14-8	0~1
CI74260	1328-53-6	0~1
CI51319	6358-30-1	0~1
CI21108	5567-15-7	0~1

NA = Not Available

Mixcoco

3. HAZARDS IDENTIFICATION

NFPA ratings (scale 0 - 4)



Health = 1; Fire = 1; Reactivity = 0

Hazard description:



Xi: Irritant

Xn: Harmful

Information concerning hazards for human and environment: The product must be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Eye contact:

Slightly hazardous by the following route of exposure: of eye contact (Irritant).

Skin contact:

No known acute effects of this product resulting from skin contact, it will irritate damaged skin, and difficult to get rid of it, however in light of good industrial hygiene exposure to any chemical should be kept to a minimum.

Inhalation:

The volatile smell has a small amount of inhaled will be no risk. much inhaled will irritate respiratory tract.

Ingestion:

The product is expected harmful to ingestion. Directly swallowing the product will lead abdominal pain, diarrhea, nausea, loss of appetite etc.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available.

MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

Medical Conditions Aggravated by Overexposure:

There is no known effect from chronic exposure to this product. Repeated or prolonged exposure is not known to aggravate any medical condition.

Overexposure/ Signs/ Symptoms: No information available

Mixcoco

4. FIRST AID MEASURES

Eye contact:

Immediately flush eyes with plenty of water for a few minutes, occasionally lifting the upper and lower eyelids. If the symptoms cannot be eased Get medical aid immediately.

Skin contact:

Flush with water thoroughly followed by a washing of effected area with soap and water. If irritation, redness or swelling persists, get medical attention.

Inhalation:

Move to fresh air. Get immediate medical attention.

Ingestion:

If product is swallowed, drink plenty of water or milk immediately. Get medical attention immediately.

5. FIREFIGHTING MEASURES

Protective equipment: Wear fully protective suit. Mouth respiratory protective device. Do not inhale explosion gases or combustion gases.

Extinguishing Media: CO₂, sand, extinguishing powder...

Flash point: 85°C

Auto ignition Temperature: Not Applicable.

Special fire & explosion hazards: None.

Unusual Fire or Explosion Hazards: None.

6. ACCIDENTAL RELEASE MEASURES

Person-related safety precautions: Wear protective equipment.

Measures for environmental protection: Do not allow much product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

Measures for cleaning/collecting

Small leak: Mix absorb leaked material with (sand, diatomite, sawdust) then Cleaning and placed into a suitable container handling and scrub the area with towel and water.

Much leak: Isolation accident area to prevent the leak products to be contaminated, and then to recycling collection the leak products.

7. HANDLING AND STORAGE

Information for safe handling: Store in cool, dry place in tightly closed receptacles. Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection: Keep ignition sources away. Do not smoke.

Mixcoco

Storage

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from flammable substances.

Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well-sealed receptacles.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Ventilation & Engineering Controls:

No special ventilation and engineering controls are required.

Respiratory protection:

No special respiratory protection is required for use of these products. If respiratory protection is needed, use only protection authorized in the U.S. Federal OSHS Standard, applicable U.S. State regulations, or the Canadian CSA standard.

Eye Protection:

Unnecessary. When necessary wear chemical goggles or face shield.

Body Protection:

General protective clothing.

9. PHYSICAL / CHEMICAL PROPERTIES

Form	Viscous liquid
Color	Color Gel
Odor	Slight characteristic ester odor
Melting Point/Melting range	<0°C
Boiling Point/Boiling range	NA
Flash point	85°C
Self-igniting	Not
Danger of explosion	Under normal circumstances there is no risk of explosion.
Relative density	1.10~1.20(water=1)
Vapor density	NA
Evaporation rate	NA
Solubility in/Miscibility with Water:	Insoluble
PH-Value	NA
Viscosity Dynamic	3.5--4.0 pa.s (25°C)

Mixcoco

10. STABILITY AND REACTIVITY

Chemical Stability:

The product is stable.

Hazardous Decomposition Products:

The following combustion products may be generated: carbon dioxide, carbon monoxide, water vapor, and trace volatile organic compounds or other toxic gases/smoke.

Hazardous Polymerization:

Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicity to Animals:

LD50: Not available.

LC50: Not available.

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: Classified NONE by NTP, NONE by OSHA. 3

(Not classifiable for human.) by IARC.

Other Toxic Effects on Humans

NONE

Mutagenicity

NA

Teratogenicity

NA

12. ECOLOGICAL INFORMATION

Information about elimination (persistence and degradability): Removable from water.

Mobility and bioaccumulation potential: Not available

Ecotoxic effects: May cause long-term adverse effects in the environment.

Aquatic toxicity: Toxic to aquatic organisms.

General notes: Water hazard class 2 (German Regulation) (Self-assessment): Hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

13. DISPOSAL CONSIDERATION

Product:

Must be disposed of in accordance with applicable Federal, state and local regulations.

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation Disposal must be made according to official regulations.

Mixcoco

14. TRANSPORTATION INFORMATION

DOT Classification for Bulk Shipments (non-bulk shipments may differ):

Not a DOT controlled material (United States).

DOT Proper Shipping Name: Not available.

UN Number: Not applicable.

Packing Group: Not applicable.

Marine Pollutant: Yes.

Hazardous Substance Reportable Quantity: Not available.

Special Provisions for Transport: Not applicable.

TDG Classification: Not controlled under TDG (Canada).

ADR/RID Classification: Not controlled under ADR(Europe)

IMO/IMDG Classification: Not Controlled under IMDG.

ICAO/IATA Classification: Not controlled under IATA.

15. REGULATORY INFORMATION

HCS Classification: This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. Federal Regulation:

TSCA inventory: All components are exempted.

SARA 301/302/303: No chemicals in this product are listed as extremely hazards substances in 40 CFR 355, EmergencyPlanning and Notification

SARA 304: No chemicals in this product require reporting under the requirement of 40 CFR 355, Emergency Planning andNotification (SARA extremely hazardous substances listed in Appendix A to Part 355 or CERCLA hazardous substances listedin Table 302.4 of 40 CFR Part 302).

SARA 313: This product contains no chemicals in excess of the applicable de minimis concentration that are subject to thereporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFRPart 372 (Table 372.65).

Specific state and local regulations should be consulted to determine if there are any additional requirements. Because manyStates and localities have added requirements or incorporated the Federal contents in their own forms, Tier I & II formsshould be obtained from the State Emergency Response Commission (SERC).

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:Xi,Xn

Risk phrases:

20/22 Harmful by inhalation and if swallowed.

36/37/38 Irritating to eyes, respiratory system and skin.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Mixcoco

Safety phrases:

16 Keep away from sources of ignition.

24/25 Avoid contact with skin and eye.

46 If swallowed, seek medical advice immediately and show this container or label.

16. OTHER INFORMATION

DISCLAIMER OF LIABILITY: The information contained herein we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in anyway connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS may not be applicable.

Section 1 – Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: PRIMER

Family: NAIL PRIMER

MSDS Approval Date:	2/18/2025
MSDS Prepared by:	BSQ

Product Use: ADHESION IMPROVEMENT

Manufacturer: YIWU MIXCOCO COSMETIC CO.,LTD
 90 Xiang Yiroad, Yiting town, Yiwu City, Jinhua City, Zhejiang Province, 322000 China
 Emergency Phone Numbers: 0086-579-85128901
 Information Contacts: 0086-579-85128901

Product#: MS-PH

Section 2 - Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#:	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Ethyl Acetate	141 - 78 - 6	205-500-4	Ethyl Acetate	400 ppm	400 ppm	Not Listed	75-80
2,2-bis-(4-(2-hydroxy-3-methacryloxypropoxy)BIS-GMA	1565-94-2	216-367-7	Isopropylidenediphenyl bisoxyhydroxypropyl methacrylate	N/E	N/E	Not Listed	2-5
2-Hydroxypropylmethacrylate	27813-02-1	248-666-3	HPMA	N/E	N/E	Not Listed	5-10
Tri methyl benzoyl Di phenyl phosphi ne Oxide	75980-60-8	278-355-8	Tri methyl benzoyl Di phenyl phosphi ne Oxide	N/E	N/E	Not Listed	0-3
Acrylates Copolymer	25035-69-2	278-355-8	Acrylates Copolymer	N/E	N/E	Not Listed	0-2

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- May cause eye irritation.
- **Flammable liquid and vapor!**
- May cause skin irritation.
- Avoid prolonged or repeated breathing of gases, vapors or mists.
- Unstable (reactive) upon depletion of inhibitor. This is only a slight risk.
- May be absorbed through the skin.



Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin contact, eye contact
Eye	Exposure causes eye irritation. Symptoms include stinging, tearing, redness and swelling.
Skin	Can cause skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying, cracking, and skin burns.
Ingestion	Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. This material can get into the lungs during swallowing or vomiting.
Inhalation	Vapor and mist are irritating to mucous membranes. Breathing small amounts during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms usually occur at air concentrations higher than the recommended exposure limits.
Sub-Chronic Effects	May cause headaches, nausea, vomiting and narcotic effect if over-exposed.
Chronic Health Effects (Long-term)	No appropriate human or animal health effects data are known to exist.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 4 - First Aid Measures

First Aid for Eye	If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently for 15 min. with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.
First Aid for Skin	Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek

medical attention.

First Aid for Inhalation Remove to fresh air. If breathing is difficult, administer oxygen. If symptoms persist, seek medical attention.

First Aid for Ingestion If individual is drowsy or unconscious, do not give anything by mouth; place individual on the leftside with the head down. Seek medical attention for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Section 5 - Fire Fighting Measures

Flash Point(°F/°C)	Flammable Limit(vol%)	Auto-ignition Temperature(vol%)
TAG Closed: 26°F / -3.3°C	400 ppm	750 ° F - 900 ° F

Method:

Extinguishing Media: Foam, dry chemical, cold water spray.

Fire Fighting Instructions: Wear self-contained breathing apparatus and protective clothing. USE WATER WITH CAUTION. Water spray may be used to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a safe distance and protected location.

Unusual Hazards: Flammable. When exposed to heat and flame, material is a fire explosion hazard. It may produce toxic products CO, carbon dioxide. Vapors may cause a flash fire or ignite explosively. Vapors may travel a considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations.

Section 6 - Accidental Release Measures

Spill or Release Procedures Eliminate all sources of heat and ignition. Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.

Section 7 - Handling and Storage

Handling Keep containers cool and dry. Keep away from heat, light and ignition sources. Avoid breathing high vapor concentrations. Avoid prolonged or repeated contact with skin. Use only with adequate ventilation. Wash skin thoroughly after handling.

Storage Store in a well ventilated area. Store @ 70 + 15 ° F, allow some air space above liquid level. Keep containers closed while not in use.

Explosion Hazard Vapors are heavier than air and may travel along the ground or may be moved by ventilation and ignited by pilot lights, other flames, sparks, heaters, smoking or other ignition sources at locations distant from material handling point. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.

Section 8 - Exposure Controls / Personal Protective Equipment

Engineering Controls Facilities storing or utilizing this material should be equipped with an eye facility and safety shower. Use process enclosures local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment.

Personal Protective Equipment

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/ Face Protection	Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type of safety glasses.
Skin Protection	Wear resistant gloves. To prevent repeated or prolonged skin contact, wear impervious clothing and boots.
Respiratory Protection	A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Section 9 - Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	% Volatile		
Clear liquid	ester like odor	NA	(H2O=1):0.94	15 cps	W/W % : 50+		
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/DA	N/DA	N/DA	N/DA	(Air=1):1	NA	NA	Insoluble
Flash Point(°F/°C)		Flammable Limit(vol%)		Auto-ignition Temperature(vol%)			
TAG Closed: 26°F / -3.3°C		400 ppm		750 ° F - 900 ° F			

Section 10 - Stability and Reactivity

Stability: Stable Hazardous Decomposition Products: Heated material produces NO ₂ , CO ₂ , CO Conditions to Avoid: Heat, flame, ignition sources.	Incompatibility (Materials to Avoid): Avoid oxidizing agents, acids & bases (heat) Hazardous Polymerization: May occur
---	---

Section 11 - Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
Oral LD50 (rat) : 4.0-6.0g/kg	Dermal LD50 (rabbit): >20mL/kg	Inhalation LC50 (rat) : 3500 - 8000 ppm/4 hours	Rabbit : slight	Rabbit : slight
Since this product contains a mixture of active components, the primary toxicological information is derived from the acetates. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.				
Sensitization	Mutagenicity		Sub-chronic Toxicity	
N/DA	E.Coli: DNA Damage: 20mol/L		N/DA	

Section 12 - Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13 - Disposable Considerations

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance

with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 - Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Flammable liquids, n.o.s., (ethyl acetate, monomers), 3, UN1993, PGII
Identification Number:	UN1993
Marine Pollutant:	No
Special Provisions:	T8, T31
Emergency Response Guidebook (ERG) #:	128
IATA (DGR):	
Proper Shipping Name:	Flammable liquids, n.o.s., (ethyl acetate, monomers), 3, UN1993, PGII
Class or Division:	3
UN or ID Number:	UN1993
Packaging Instructions:	A3
Emergency Response Guidance (ICAO)#:	3L
IMO (IMDG):	
Proper Shipping Name:	Flammable liquids, n.o.s., (ethyl acetate, monomers), 3, UN1993, PGII
Class or Division:	3.2
UN or ID Number:	UN1993
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	307
Other Information:	Flash point = -3.3°C

Section 15 - Regulatory Information

US Federal Regulations


Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutant (HAP), as defined by the U. S. Clean Air Act: <ul style="list-style-type: none"> NONE. There are no ODS substances in this product.
Clean Water Act: HS/Priority Pollutant	This product contains the following chemicals listed under the U. S Clean Water Act Hazardous Substance List: <ul style="list-style-type: none"> NONE The following chemicals are listed as primary pollutants: <ul style="list-style-type: none"> NONE
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard. Its hazard are: <ul style="list-style-type: none"> IMMEDIATE (acute) HEALTH HAZARD FIRE HAZARD
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA (40 CFR 261): <ul style="list-style-type: none"> Ethyl Acetate CAS #141 - 78 - 6 RCRA Code: U112.
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances.
SARA Title III: Section 302 (RQ)	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List): <ul style="list-style-type: none"> Ethyl Acetate , CAS #141-78-6, RQ (Lbs) : 5000
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> IMMEDIATE (acute) HEALTH HAZARD FIRE HAZARD REACTIVE HAZARD
SARA Title III: Section 313:	This product contains no chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals listed have a SNUR under TSCA.

State Regulations



CA Right-to-Know Law:	Ethyl Acetate CAS #141-78-6
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	Ethyl Acetate CAS #141-78-6
NJ Right-to-Know Law:	Ethyl Acetate CAS #141-78-6
PA Right-to-Know Law:	Ethyl Acetate CAS #141-78-6
FL Right-to-Know Law:	Ethyl Acetate CAS #141-78-6
MN Right-to-Know Law:	Ethyl Acetate CAS #141-78-6

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	Ethyl Acetate CAS #141-78-6 is on the DSL List. WHMIS = B2, D2B 2,2-bis-(4-(2-hydroxy-3-methacryloxypropoxy)BIS-GMA CAS# 1565-94-2 is n/da for the DSL List. WHMIS = n/da 2-Hydroxyethyl methacrylate CAS #868-77-9 on the DSL List. WHMIS = n/da
EINECS: European Inventory: 	ULTRABOND: <ul style="list-style-type: none"> Hazard Symbols: Xi, F Risk Phrases: R11, highly flammable, R36: Irritating to eyes, R43: May cause sensitization by skin contact, R66: repeated exposure may cause skin dryness and cracking, R67: Vapors may cause drowsiness and dizziness. Safety Phrases: S16: keep away from sources of ignition- no smoking, S26: in case of contact with eyes, rinse immediately, S28A: after contact with skin, wash immediately with plenty of water, S33: take precautionary measures against static discharges, S36/37: Wear suitable protective clothing and gloves.

Section 16 - Other Information

Hazard Rating System (Pictograms)

NFPA:	 <p>Health → 2 ← Flammability 3 Reactivity 1</p>	HMIS:	 <p>2 Health 3 Flammability 1 Reactivity</p>
-------	--	-------	---

Revised Sections since Last Version:	Updating formatting and Section II % content revision
--------------------------------------	---

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.